



Walk Behind 700,840 & 950 mm Battery Powered Scrubber Dryers

The new Nilfisk-ALTO SCRUBTEC 795, 784 and 770 S/L range of walk-behind scrubbers provides you the best traction in double scrubbing and ramp cleaning, and they provide safety, not only for the operator, but also for those walking on recently cleaned floors.

Other significant advantages with the new SCRUBTEC L walk-behinds are the control system that allows all normal scrubbing functions to be activated by a single touch of a button for convenience and minimal operator training.

Typical applications can be found in retail stores, distribution centres, warehouses, office buildings, schools & universities, cleaning contractors and manufacturing plants.

The new large ALTO SCRUBTEC walk-behind range keep focus on the operator with comfort, safety and fun, and for the buyer with productivity, low maintenance cost, employee satisfaction and labour savings.

PRODUCT FACTS

- Low voltage shut off.
- Non corrosive polydur brush housing.
- Exclusive nylon gimbal brush/pad driver mount.
- Non marking pneumatic tires.
- AccuTrack™ patented breakaway swing squeegee.
- Neutral position traverse control handles.
- All controls on front view panel.







Model	SCRUBTEC 770S	SCRUBTEC 770L	SCRUBTEC 784S
Ref. no	05210E	05211E	05220E
Description	SCRUBTEC 770S 36V	SCRUBTEC 770L 36V	SCRUBTEC 784S 36V
PRODUCT FEATURES			
BATTERY VERSION	■	■	■
TRANSAXLE DRIVE MOTOR	■	■	■
BATTERY COMPARTMENT DRAIN	■	■	■
AUTOMATIC BRAKE	■	■	■
AUTOMATIC BRUSH SHUT OFF	■	■	■
AUTOMATIC SOLUTION SHUT OFF	■	■	■
THERMAL BREAKERS	■	■	■
SOLUTION FILTER	■	■	■
ADJUSTABLE BRUSH PRESSURE	■	■	■
BRISTLE BRUSH SKIRT	■	■	■
DISC DECK: 2 BRUSHES	■	■	■
RECOVERY EMPTYING HOSES	■	■	■
REMOVABLE RECOVERY LID	■	■	■
SOLUTION EMPTYING HOSES	■	■	■
TILTING TANKS	■	■	■
ELECTRONIC FLOAT SWITCH	■	■	■
BATTERY METER	■	■	■
HOUR METER	■	■	■
NON MARKING TRACTION WHEELS	■	■	■
3 POSITION SQUEEGEE	■	■	■
AUTOMATIC SQUEEGEE LIFT IN REVERSE	■	■	■
BLADES CAN BE USED ON 4 EDGES	■	■	■
ROLLER BUMPERS ON SQUEEGEE	■	■	■
POLISHING	■	■	■
SCRUBBING	■	■	■
STRIPPING	■	■	■
INCL. ACCESSORIES			
18817N SQUEEGEE ASSEMBLY			
10803KL SQUEEGEE ASSEMBLY 39	■	■	■

Technical specifications	SCRUBTEC 770S	SCRUBTEC 770L	SCRUBTEC 784S
POWER SUPPLY (V)	36	36	36
VACUUM MOTOR TYPE - TANGENTIAL	X	X	X
BRUSH MOTOR (KW)	2 x 0,74	2 x 0,74	2 x 0,74
TRACTION MOTOR POWER (W)	370	370	370
VACUUM MOTOR POWER - 3 STAGE (W)	740	740	740
PRODUCTIVITY RATE THEORETICAL/ ACTUAL (M ² /H)	2940/1765	2940/1765	3530/2120
CLEANING WIDTH (MM)	700	700	840
TANK CAPACITY, SOLUTION/RECOVERY (L)	114 / 114	114 / 114	114 / 114
SQUEEGEE WIDTH (MM)	813	813	991
BRUSH PRESSURE (KG)	68-100	63,5-100	68-100
BRUSH SPEED (RPM)	200	200	200
BRUSH SIZE (MM)	355	355	430
DIMENSIONS LXWXH (MM)	1588x762x1118	1588x762x1118	1600x914x1118
WEIGHT (KG)	162	162	166
WEIGHT W/BATTERIES (KG)	456	456	460







Model	SCRUBTEC 784L	SCRUBTEC 795S	SCRUBTEC 795L
Ref. no	05221E	05230E	05231E
Description	SCRUBTEC 784L 36V	SCRUBTEC 795S 36V	SCRUBTEC 795L 36V
PRODUCT FEATURES			
BATTERY VERSION	■	■	■
TRANSAXLE DRIVE MOTOR	■	■	■
BATTERY COMPARTMENT DRAIN	■	■	■
AUTOMATIC BRAKE	■	■	■
AUTOMATIC BRUSH SHUT OFF	■	■	■
AUTOMATIC SOLUTION SHUT OFF	■	■	■
THERMAL BREAKERS	■	■	■
SOLUTION FILTER	■	■	■
ADJUSTABLE BRUSH PRESSURE	■	■	■
BRISTLE BRUSH SKIRT	■	■	■
DISC DECK: 2 BRUSHES	■	■	■
RECOVERY EMPTYING HOSES	■	■	■
REMOVABLE RECOVERY LID	■	■	■
SOLUTION EMPTYING HOSES	■	■	■
TILTING TANKS	■	■	■
ELECTRONIC FLOAT SWITCH	■	■	■
BATTERY METER	■	■	■
HOUR METER	■	■	■
NON MARKING TRACTION WHEELS	■	■	■
3 POSITION SQUEEGEE	■	■	■
AUTOMATIC SQUEEGEE LIFT IN REVERSE	■	■	■
BLADES CAN BE USED ON 4 EDGES	■	■	■
ROLLER BUMPERS ON SQUEEGEE	■	■	■
POLISHING	■	■	■
SCRUBBING	■	■	■
STRIPPING	■	■	■
INCL. ACCESSORIES			
18817N SQUEEGEE ASSEMBLY		■	■
10803KL SQUEEGEE ASSEMBLY 39	■		

Technical specifications	SCRUBTEC 784L	SCRUBTEC 795S	SCRUBTEC 795L
POWER SUPPLY (V)	36	36	36
VACUUM MOTOR TYPE - TANGENTIAL	X	X	X
BRUSH MOTOR (KW)	2 x 0,74	2 x 0,74	2 x 0,74
TRACTION MOTOR POWER (W)	370	370	370
VACUUM MOTOR POWER - 3 STAGE (W)	740	740	740
PRODUCTIVITY RATE THEORETICAL/ ACTUAL (M ² /H)	3530/2120	3990/2395	3990/2395
CLEANING WIDTH (MM)	840	950	950
TANK CAPACITY, SOLUTION/RECOVERY (L)	114 / 114	114 / 114	114 / 114
SQUEEGEE WIDTH (MM)	991	1118	1118
BRUSH PRESSURE (KG)	63,5-100	68-100	63,5-100
BRUSH SPEED (RPM)	200	200	200
BRUSH SIZE (MM)	430	480	480
DIMENSIONS LXWXH (MM)	1600x914x1118	1676x1041x1118	1676x1041x1118
WEIGHT (KG)	166	171	171
WEIGHT W/BATTERIES (KG)	460	465	465

Accessories	Ref. no	Min. required	SCRUBTEC 770S	SCRUBTEC 770L	SCRUBTEC 784S	
Batteries and Chargers						
	BATTERY SINGLE CELL SEMI TR WET 255AH CH9	80565000	6			
	BATTERY FILLING SYSTEM	7116076	1			
	240 AH, 36 V. STEEL TRAY	80563210	1			
	200 AH, 6 V. TUBULAR	80563200	6			
	BATTERY FILLING SYSTEM	7116060	1	+	+	+
	BATTERY SINGLE CELL DF 06 DRY MONO M.FREE 240AH CH5	80564100	6			
	220 AH, 36 V. MAINTENANCE	80563220	1			
	BATT 180A DF 06 1100-CH15 CH2 600/1301CH8 850-CH12	80564000	6			
Padholders						
	DRIVER PAD 14IN GIMBAL	38036A	2	■	■	
	PAD ASSM 19"	17524B	2			
	PAD HOLDER PINCH CLIP	56941A	1	+	+	+
Pad 14" / 355mm						
 355mm	PADS CS 14" WHITE 51	976037	2	+	+	
	CS 14 RED PADS	976038	2			
	CS 14 BLUE 51 PADS	976039	2	+	+	
	CS 14 BROWN 51 PADS	976040	2	+	+	
	CS 14 BLACK THICK PADS	976146	2	+	+	
Pad 17" / 432mm						
 432mm	CS 17 WHITE 51 PADS	976052	2		+	
	CS 17 RED 51 PADS	976053	2		+	
	CS 17 BLUE 51 PADS	976054	2		+	
	CS 17 BROWN 51 PADS	976055	2		+	
	CS 17 BLACK THICK PADS	976158	2		+	
Pad 19" / 480mm						
 480mm	CS 19 WHITE 51 PADS	976062	2			
	CS 19 RED 51 PADS	976063	2			
	CS 19 BLUE 51 PADS	976064	2			
	CS 19 BROWN 51 PADS	976065	2			
	PADS BLACK 19"	976166	2			
Brush disc 355						
 355mm	BRUSH 14 ?370 5K	303000382	2	+	+	
	BRUSH ASM..POLYPROPLENE 1	11427B	2	+	+	
	BRUSH ASM.. NYLON 14inOD	11429B	2	+	+	
	BRUSH, 28" NYLON	10874A	2	+	+	
	BRUSH, ASM LITE GRIT 14"	10383A	2	+	+	

Accessories	Ref. no	Min. required	SCRUBTEC 770S	SCRUBTEC 770L	SCRUBTEC 784S	
Brush disc 355						
 355 mm	BRUSH ASM.. GRIT MEDIUM (11431B	2	+	+	
	BRUSH ASM.. GRIT HEAVY (11426B	2	+	+	
Brush disc. 430mm						
 430 mm	BRUSH 17 2430 5K	303000384	2		+	
	BRUSH ASM..POLYPROPYLENE	11424B	2		+	
	BRUSH ASM.. NYLON 17inOD	11428B	2		+	
	BRUSH, 17" NYLON	10875A	2		+	
	LITE GRIT BRUSH 17in	10384A	2		+	
	BRUSH ASM.. GRIT MEDIUM (11430B	2		+	
	BRUSH ASM.. GRIT HEAVY (1	11425B	2		+	
Brush disc. 480 mm						
 480 mm	BRUSH ASM. POLYPROP.19in	11434B	2			
	BRUSH ASM. NYLON 19inOD (11435B	2			
	LITE GRIT BRUSH 18in	10385A	2			
	BRUSH ASM. GRIT MEDIUM (1	11432B	2			
	BRUSH ASM.. GRIT HEAVY (11433B	2			
Squeegees, blades, skirts and splash guards						
	SQUEEGEE ASSEMBLY 39 LINATEX	10803KL	1			
	BLADE, SQ.,LINATEX, 43.50	30069L	1			
	BLADE, INNER NOTCHED 1/8"	30717L1	1			
	BLADE, REAR GUM	30557A	1			
	FRONT RIBBED BLADE 39in	30091A	1			
	SQUEEGEE ASSEMBLY	18817N	1			
	BLDE OUTER GUM RUBBER 38"	30935A	1			
	BLADE INNER GUM FOCUS 38	30718A	1			
	INNER SQUEEGE BLDE RIBB 38"	30954A	1			
Others						
	KIT. CLARKE CARE	14607A	1	+	+	+
Options						
	BRAKE KIT FOR 59116A	10684B	1	+	+	+
	WAND POWER KIT FOCUS WB	10892A	1	+	+	+
	CHEMICAL MIXING SYS KIT LWB	11081A	1			
	PROTECTANT. POLYDUR	50478A	1	+	+	+
	CASTER ASM.. SOFT (26/32	52127A	2	+	+	+
	GREASE GUN KIT	55420A	1	+	+	+
	WHEEL ASM.. NON-MARKING W /FOAM	59955A	2	+	+	+

Accessories	Ref. no	Min. required	SCRUBTEC 784L	SCRUBTEC 795S	SCRUBTEC 795L	
Batteries and Chargers						
	BATTERY SINGLE CELL SEMI TR WET 255AH CH9	80565000	6			
	BATTERY FILLING SYSTEM	7116076	1			
	240 AH, 36 V. STEEL TRAY	80563210	1			
	200 AH, 6 V. TUBULAR	80563200	6			
	BATTERY FILLING SYSTEM	7116060	1	+	+	+
	BATTERY SINGLE CELL DF 06 DRY MONO M.FREE 240AH CH5	80564100	6			
	220 AH, 36 V. MAINTENANCE	80563220	1			
	BATT 180A DF 06 1100-CH15 CH2 600/1301CH8 850-CH12	80564000	6			
Padholders						
	DRIVER PAD 14IN GIMBAL	38036A	2			
	PAD ASSM 19"	17524B	2	■	■	
	PAD HOLDER PINCH CLIP	56941A	1	+	+	+
Pad 14" / 355mm						
 355mm	PADS CS 14" WHITE 51	976037	2			
	CS 14 RED PADS	976038	2			
	CS 14 BLUE 51 PADS	976039	2			
	CS 14 BROWN 51 PADS	976040	2			
	CS 14 BLACK THICK PADS	976146	2			
Pad 17" / 432mm						
 432mm	CS 17 WHITE 51 PADS	976052	2	+		
	CS 17 RED 51 PADS	976053	2	+		
	CS 17 BLUE 51 PADS	976054	2	+		
	CS 17 BROWN 51 PADS	976055	2	+		
	CS 17 BLACK THICK PADS	976158	2	+		
Pad 19" / 480mm						
 480mm	CS 19 WHITE 51 PADS	976062	2	+	+	
	CS 19 RED 51 PADS	976063	2	+	+	
	CS 19 BLUE 51 PADS	976064	2	+	+	
	CS 19 BROWN 51 PADS	976065	2	+	+	
	PADS BLACK 19"	976166	2	+	+	
Brush disc 355						
 355mm	BRUSH 14 ?370 5K	303000382	2			
	BRUSH ASM..POLYPROPLENE 1	11427B	2			
	BRUSH ASM.. NYLON 14inOD	11429B	2			
	BRUSH, 28" NYLON	10874A	2			
	BRUSH, ASM LITE GRIT 14"	10383A	2			

Accessories	Ref. no	Min. required	SCRUBTEC 784L	SCRUBTEC 795S	SCRUBTEC 795L
Brush disc 355					
 355 mm	BRUSH ASM.. GRIT MEDIUM (11431B	2		
	BRUSH ASM.. GRIT HEAVY (11426B	2		
Brush disc. 430mm					
 430 mm	BRUSH 17 2430 5K	303000384	2	+	
	BRUSH ASM..POLYPROPYLENE	11424B	2	+	
	BRUSH ASM.. NYLON 17inOD	11428B	2	+	
	BRUSH, 17" NYLON	10875A	2	+	
	LITE GRIT BRUSH 17in	10384A	2	+	
	BRUSH ASM.. GRIT MEDIUM (11430B	2	+	
	BRUSH ASM.. GRIT HEAVY (1	11425B	2	+	
Brush disc. 480 mm					
 480 mm	BRUSH ASM. POLYPROP.19in	11434B	2		+
	BRUSH ASM. NYLON 19inOD (11435B	2		+
	LITE GRIT BRUSH 18in	10385A	2		+
	BRUSH ASM. GRIT MEDIUM (1	11432B	2		+
	BRUSH ASM.. GRIT HEAVY (11433B	2		+
Squeegees, blades, skirts and splash guards					
	SQUEEGEE ASSEMBLY 39 LINATEX	10803KL	1		
	BLADE, SQ.,LINATEX, 43.50	30069L	1		
	BLADE, INNER NOTCHED 1/8"	30717L1	1		
	BLADE, REAR GUM	30557A	1		
	FRONT RIBBED BLADE 39in	30091A	1		
	SQUEEGEE ASSEMBLY	18817N	1		
	BLDE OUTER GUM RUBBER 38"	30935A	1		+
	BLADE INNER GUM FOCUS 38	30718A	1		
	INNER SQUEEGE BLDE RIBB 38"	30954A	1		+
Others					
	KIT. CLARKE CARE	14607A	1	+	+
Options					
	BRAKE KIT FOR 59116A	10684B	1	+	+
	WAND POWER KIT FOCUS WB	10892A	1	+	+
	CHEMICAL MIXING SYS KIT LWB	11081A	1		
	PROTECTANT. POLYDUR	50478A	1	+	+
	CASTER ASM.. SOFT (26/32	52127A	2	+	+
	GREASE GUN KIT	55420A	1	+	+
	WHEEL ASM.. NON-MARKING W /FOAM	59955A	2	+	+