



Self-service stationary hot water high pressure washers for car washing

Hot water self service unit for car washing centres, service stations and garages.





The AUTO BOOSTER combines stainless steel, state of the art design, with features and low running costs to offer garages and service stations a highly profitable self service stationary hot water pressure washer. The unit offers low costs, high level of serviceability and reliability, along with ease of use and optimal cleaning effect. Everything to keep the users happy and loyal to the unit owner.

PRODUCT FACTS

- Stainless steel design
- EcoPower boiler for reduced fuel consumption costs
- Silent Power, low noise level with 1450 rpm motor pump units
- Single or twin boom configurations
- Up to 5 cleaning programs available
- Internal frost protection down to minus 20 °C.
- Closed circuit frost protection option for hose and gun
- Electronic coinor pre programmed and with teaching mode
- Spring assisted boom for ease of use
- Water softener option
- Compact design with small footprint
- Available in single phase or three phase electrically heated versions or a three phase diesel fired version

Model	AUTOBOOSTER 5-20D	AUTOBOOSTER 5-20E12 / 5-22E9	AUTOBOOSTER 5-20E12 / 5-22E9
Ref. no	107370850	107370860	107370870
Description	AUTO BOOSTER 5-20D 400V	AUTO BOOSTER 5-20E12 400V	AUTO BOOSTER 5-22E9 230V
PRODUCT FEATURES			
AUTOMATIC STANDBY	■	■	■
FEEDER PUMP	■	■	■
STAINLESS STEEL FRAME	■	■	■
PCB ELECTRONIC CONTROL	■	■	■
3XDETERGENT INJECTION	■	■	■
ECO POWER BOILER-HIGH EFFICIENCY	■		
SILENT POWER - 1450 RPM MOTOR	■	■	■
CLOSED CIRCUIT FROST PROTECTION SYSTEM FOR LANCE AND HOSE	■	■	■
ELECTRICAL HEATING SYSTEM		■	■
FULL CERAMIC PISTONS	■	■	■
INTERNAL HEATER AND INSULATION FOR FROST PROTECTION	■	■	■
OPTIONAL WATER SOFTENER	■	■	■
COMPACT DESIGN	■	■	■
ELECTRONIC COIN BOX WITH LEARNING MODE	■	■	■
QUICK SERVICE - INNOVATIVE CONCEPT	■	■	■
SPRING ASSISTED GALLOWS FOR EASE OF USE	■	■	■
UP TO 5 CLEANING PROGRAMS	■	■	■
INCL. ACCESSORIES			
101119737 TORNADO KIT (RING/NOZZLE)	■	■	
101119740 TORNADO KIT (RING/NOZZLE)	■	■	
101119741 TORNADO KIT (RING/NOZZLE)			■

Technical specifications	AUTOBOOSTER 5-20D	AUTOBOOSTER 5-20E12 / 5-22E9	AUTOBOOSTER 5-20E12 / 5-22E9
POWER CONSUMPTION (KW)	3	3	2,3
VOLTAGE/PHASE/FREQUENCY/CURRENT (V/~ /HZ/A)	400/3/50/10,8	400/3/50/28	230/1/50/40/38,5
CLEANING IMPACT (KG/FORCE)	2	2	2,2
WATER FLOW QMAX/QIEC (L/H)	500/500	500/500	620/620
WATER TEMPERATURE (WATER/STEAM) (°C)	60	60	60
PUMP PRESSURE (BAR/MPA)	100/10	100/10	90/9
PUMP (RPM)	1450	1450	1450
FUEL CONSUMPTION DT 45 °C (KG/H)	2,7		
FUEL TANK (L)	33		
DETERGENT TANK (L)	3x25	3x25	3x25
NOZZLE SIZE	0370	0370	0500
MAX INLET TEMPERATURE (°C)	30	30	30
NUMBER OF PISTONS	3	3	3
CERAMIC PISTONS	X	X	X
DIMENSIONS LXWXH (MM)	1025x715x1670	1025x715x1550	1025x715x1550
CLEARANCE HEIGHT (M)	3	3	3
WEIGHT (KG)	285	226	226
AUTO STANDBY	X	X	X

Accessories	Ref. no	Min. required	AUTOBOOSTER 5-20D	AUTOBOOSTER 5-20E12 / 5-22E9
Adapters				
	REPAIR KIT (M.FCOUP/RESTRICT)	101119496	1	
			■	■
Pressure Washer Options				
	WATER SOFTENING UNIT AUTO	107370970	1	
			■	■
Stationary equipment				
	OPTION NO SCALE	107370974	1	
			■	■
	EXHAUST PLATE F. TRUCK BO	107318048	1	
			■	■
Nozzles Pressure wash				
	TORNADO KIT (RING/NOZZLE 0370)	101119737	1	
			■	■
	TORNADO KIT (RING/NOZZLE 0500)	101119741	1	
			■	■