



Premium-class high-flow mobile cold water high pressure washers

The POSEIDON 8 line offers a wide range of models for everyday cleaning in agriculture, construction, food or transport industry. The POSEIDON 8 offers powerful cleaning, low noise level and high durability

POSEIDON 8 is a tough, robust new cold water line associating high water flow and high pressure. The POSEIDON 8 is available with both powder coated frame or stainless steel frame for additional resistance in tough environments. The POSEIDON 8 is also available in four performance levels.

PRODUCT FACTS




- Steel or stainless steel frame variants.
- Slow running 1450 rpm motors with low noise level.
- Ceramic pistons for longer working life.
- Simple and easy to use.








Model	POSEIDON 8-75	POSEIDON 8-82	POSEIDON 8-111
Ref. no	107146540	107146541	301002534
Description	POSEIDON 8-75 EU	POSEIDON 8-82 EU	POSEIDON 8-111 400V
PRODUCT FEATURES			
AUTOMATIC STANDBY	■	■	■
SOFTSTART			
STAINLESS STEEL FRAME			
PNEUMATIC WHEELS	■	■	■
SILENT POWER - 1450 RPM MOTOR	■	■	■
FULL CERAMIC PISTONS	■	■	■
ERGO ACCESSORY SYSTEM	■	■	■
INCL. ACCESSORIES			
4810213 15 M 2 WIRE HOSE Ø 1/2" D			
106402190 ERGO 3000 SPRAY GUN W SWI	■	■	■
1402064 HOSE 15 M. BLACK 3/8in HS	■	■	■
101119496 REPAIR KIT (M.FCOUP/RESTR	■	■	■
301150004 TORNADO + NZLE 1590 1/8"N			
101119748 TORNADO KIT (RING/NOZZLE	■		
101119758 TORNADO KIT (RING/NOZZLE			■
106402120 TORNADO LANCE 3000 104CM			■



Technical specifications	POSEIDON 8-75	POSEIDON 8-82	POSEIDON 8-111
POWER CONSUMPTION (KW)	8,7	8,2	14
VOLTAGE/PHASE/FREQUENCY/CURRENT (V/~/HZ/A)	400/3/50/16	400/3/50/16	400/3/50/24
CLEANING IMPACT (KG/FORCE)	7,5	8,2	11,1
WATER FLOW QMAX/QIEC (L/H)	1390/1320	1630/1560	2100/2050
PUMP PRESSURE (BAR/MPA)	200/20	170/17	180/18
PUMP (RPM)	1450	1450	1450
NOZZLE SIZE	0700	0950	1200
MAX INLET TEMPERATURE (°C)	50	50	50
NUMBER OF PISTONS	3	3	3
CERAMIC PISTONS	x	x	X
DIMENSIONS LXWXH (MM)	900x910x660	900x910x660	900x910x660
WEIGHT (KG)	86	87	98




Model	POSEIDON 8-111	POSEIDON 8-125	POSEIDON 8-125
Ref. no	301002618	301002535	301002619
Description	POSEIDON 8-111 ST 400V	POSEIDON 8-125 400V	POSEIDON 8-125 ST 400V
PRODUCT FEATURES			
AUTOMATIC STANDBY	■	■	■
SOFTSTART	■	■	■
STAINLESS STEEL FRAME	■		■
PNEUMATIC WHEELS	■	■	■
SILENT POWER - 1450 RPM MOTOR	■	■	■
FULL CERAMIC PISTONS	■	■	■
ERGO ACCESSORY SYSTEM	■	■	■
INCL. ACCESSORIES			
4810213 15 M 2 WIRE HOSE Ø 1/2" D		■	■
106402190 ERGO 3000 SPRAY GUN W SWI	■	■	■
1402064 HOSE 15 M. BLACK 3/8in HS	■		
101119496 REPAIR KIT (M.FCOUP/RESTR	■	■	■
301150004 TORNADO + NZLE 1590 1/8"N		■	■
101119748 TORNADO KIT (RING/NOZZLE			
101119758 TORNADO KIT (RING/NOZZLE	■		
106402120 TORNADO LANCE 3000 104CM	■	■	■








Technical specifications	POSEIDON 8-111	POSEIDON 8-125	POSEIDON 8-125
POWER CONSUMPTION (KW)	14	14	14
VOLTAGE/PHASE/FREQUENCY/CURRENT (V/~ /HZ/A)	400/3/50/24	400/3/50/24,9	400/3/50/24,9
CLEANING IMPACT (KG/FORCE)	11,1	12,5	12,5
WATER FLOW QMAX/QIEC (L/H)	2100/2050	2500/2450	2500/2450
PUMP PRESSURE (BAR/MPA)	180/18	160/16	160/16
PUMP (RPM)	1450	1450	1450
NOZZLE SIZE	1200	1590	1590
MAX INLET TEMPERATURE (°C)	50	50	50
NUMBER OF PISTONS	3	3	3
CERAMIC PISTONS	X	X	X
DIMENSIONS LXWXH (MM)	900x910x660	900x910x660	900x910x660
WEIGHT (KG)	97	98	97



Accessories	Ref. no	Min. required	POSEIDON 8-75	POSEIDON 8-82	
	Adapters				
	ERGO 3000 QUICK COUPLING F3/8in	106402075	1	■	■
	QUICK RELEASE COUPLING	66159	1	■	■
	QUICK COUPLING NIPPLE	1600493	1	■	■
	QUICK RELEASE COUPLING	66160	1	■	■
	QUICK COUPLING NIPPLE 03K R	1603101	1	■	■
	ADAPTOR	301000487	1	■	■
	ADAPTER HP CONNECTION M21	64540	1	■	■
	REPAIR KIT (M.FCOUP/RESTRICT)	101119496	1	■	■
	M21X1,5 - G	301000488	1	■	■
	ADAPTOR KEW	66161	1	■	■
	BRANCH PIECE COMPL.	4809131	1	■	■
	ADAPTOR KEW	66162	1	■	■
	NIPPLE FOR QUICK COUPLING	1600659	1	■	■
	ADAPTOR 22x1,5 TO ERGO	301000645	1	■	■
	QUICK COUPLING NIPPLE 01K	1604669	1	■	■
SOCKET	1608629	1	■	■	
quick coupling	1602945	1	■	■	
	Universal Lances				
	UNIVERSAL 3000 BENT 102CM	106402160	1	■	■
	UNIVERSAL 3000 BENT 92CM	106402161	1	■	■
	UNIVERSAL 3000 BENT 120CM	106402162	1	■	■
	UNIVERSAL 3000 102CM (NO NOZZ)	106402163	1	■	■
	UNIVERSAL 3000 58CM (NO NOZZ)	106402164	1	■	■
	UNIVERSAL 3000 150CM (NO NOZZ)	106402165	1	■	■
UNIVERSAL 3000 200CM (NO NOZZ)	106402166	1	■	■	
	PowerSpeed Vario Lances				
	POWERSPEED VARIO LANCE W. 068	106402185	1		
	POWERSPEED LANCE 0750	106402186	1	■	

Accessories	Ref. no	Min. required	POSEIDON 8-75	POSEIDON 8-82
Short Lances				
	UNIVERSALLANCE W/O NOZZLE	106402151	1	■
Spray gun				
	ERGO 3000 SPRAY GUN W SWI V LOC	106402190	1	■
	SIDE BAR SOFT GRIP FOR ERGO	106402110	1	■
Hose reels				
	HOSE REEL	301000202	1	■
	POSEIDON HOSE REEL SS	301000540	1	■
302002363				
	BENT RESTRICTOR	101119495	1	■
	REPAIR KIT (M/F COUPLING)	101119499	1	■
	REDUCTION VALVE	1604685	1	■
	3/8in HOSE 1M	1402916	1	■
	HOSE STEAM 2M	1402924	1	■
	3/8in HOSE 3M	1402932	1	■
	HOSE 5 M	1402940	1	■
	10MTR 3/8TH BLACK HOSE	6101766	1	■
	HOSE 15 M. BLACK 3/8in HS	1402064	1	■
	HOSE 20 M. BLACK 3/8in HS	1402072	1	■
	HOSE 25M BLACK 3/8in HSD	1402080	1	■
	HOSE 30 METRES STEAM	1402098	1	■
	HOSE STEAM 50 M COMP	1402759	1	■
	HIGH PRESSURE HOSE 1/2in	4810219	1	■
	15 M 2 WIRE HOSE Ø 1/2" D	4810213	1	■
	HOSE. COMP.NON-BLACKING 0 3KR	6101767	1	■
	HOSE NON-BLACKING 15M	1401983	1	■
	HOSE NON-BLACKING 20M	1401991	1	■
	25M NON-BLACKING HOSE	1402007	1	■
	HOSE NON-BLACKING 30m	1402015	1	■
Brushes, Washing				
	WASHING BRUSH. LONG	6400087	1	■
	WASHINGBRUSH. SHORT	6400088	1	■
Nozzles Pressure wash				
	TORNADO KIT (RING/NOZZLE 0700)	101119748	1	■
	TORNADO KIT (RING/NOZZLE 1000)	101119754	1	■
	TORNADO KIT (RING/NOZZLE 1200)	101119758	1	■

Accessories	Ref. no	Min. required	POSEIDON 8-75	POSEIDON 8-82	
	Nozzles Pressure wash				
	NOZZLE PROTECTING CAP WAS 1607	18430	1	■	■
	NOZZLE PROTECTION F TORNA DO L	106402425	1	■	■
	Detergents				
	J 25 MULTI 10 L	80923	1	■	■
	UNIVERSAL 10LTR	80930	1	■	■
	DES 3000 10LTR	80933	1	■	■
	AUTO ACTIVE 10LTR	81136	1	■	■
	INTENSIVE 10 L	81137	1	■	■
	SUPER PLUS 10KG (WAS 5301 344)	81170	1	■	■
	COMBI ACTIVE 10LTR	81172	1	■	■
	AUTO DRY 10LTR	81175	1	■	■
	AKTIVE WAX 10 L	81177	1	■	■
	SAPHIR 10 L	81180	1	■	■
	ACIDO 10LTR	81204	1	■	■
	ALLOSIL 10LTR	81237	1	■	■
	ALKAFOAM 10LTR (WAS 53013 42)	81239	1	■	■
ALTO ACTIVE FOAM 10LTR	81296	1	■	■	

Accessories	Ref. no	Min. required	POSEIDON 8-111	POSEIDON 8-125	
	Adapters				
	ERGO 3000 QUICK COUPLING F3/8in	106402075	1	■	■
	QUICK RELEASE COUPLING	66159	1	■	■
	QUICK COUPLING NIPPLE	1600493	1	■	■
	QUICK RELEASE COUPLING	66160	1	■	■
	QUICK COUPLING NIPPLE 03K R	1603101	1	■	■
	ADAPTOR	301000487	1	■	■
	ADAPTER HP CONNECTION M21	64540	1	■	■
	REPAIR KIT (M.FCOUP/RESTR ICT)	101119496	1	■	■
	M21X1,5 - G	301000488	1	■	■
	ADAPTOR KEW	66161	1	■	■
	BRANCH PIECE COMPL.	4809131	1	■	■
	ADAPTOR KEW	66162	1	■	■
	NIPPLE FOR QUICK COUPLING	1600659	1	■	■
	ADAPTOR 22x1,5 TO ERGO	301000645	1	■	■
	QUICK COUPLING NIPPLE 01K	1604669	1	■	■
SOCKET	1608629	1	■	■	
quick coupling	1602945	1	■	■	
	Universal Lances				
	UNIVERSAL 3000 BENT 102CM	106402160	1	■	■
	UNIVERSAL 3000 BENT 92CM	106402161	1	■	■
	UNIVERSAL 3000 BENT 120CM	106402162	1	■	■
	UNIVERSAL 3000 102CM (NO NOZZ)	106402163	1	■	■
	UNIVERSAL 3000 58CM (NO NOZZ)	106402164	1	■	■
	UNIVERSAL 3000 150CM (NO NOZZ)	106402165	1	■	■
UNIVERSAL 3000 200CM (NO NOZZ)	106402166	1	■	■	
	PowerSpeed Vario Lances				
	POWERSPEED VARIO LANCE W. 068	106402185	1		■
POWERSPEED LANCE 0750	106402186	1		■	

Accessories	Ref. no	Min. required	POSEIDON 8-111	POSEIDON 8-125
Short Lances				
	UNIVERSALLANCE W/O NOZZLE	106402151	1	■
Spray gun				
	ERGO 3000 SPRAY GUN W SWI V LOC	106402190	1	■
	SIDE BAR SOFT GRIP FOR ERGO	106402110	1	■
Hose reels				
	HOSE REEL	301000202	1	■
	POSEIDON HOSE REEL SS	301000540	1	■
302002363				
	BENT RESTRICTOR	101119495	1	■
	REPAIR KIT (M/F COUPLING)	101119499	1	■
	REDUCTION VALVE	1604685	1	■
	3/8in HOSE 1M	1402916	1	■
	HOSE STEAM 2M	1402924	1	■
	3/8in HOSE 3M	1402932	1	■
	HOSE 5 M	1402940	1	■
	10MTR 3/8TH BLACK HOSE	6101766	1	■
	HOSE 15 M. BLACK 3/8in HS	1402064	1	■
	HOSE 20 M. BLACK 3/8in HS	1402072	1	■
	HOSE 25M BLACK 3/8in HSD	1402080	1	■
	HOSE 30 METRES STEAM	1402098	1	■
	HOSE STEAM 50 M COMP	1402759	1	■
	HIGH PRESSURE HOSE 1/2in	4810219	1	■
	15 M 2 WIRE HOSE Ø 1/2" D	4810213	1	■
	HOSE. COMP.NON-BLACKING 0 3KR	6101767	1	■
	HOSE NON-BLACKING 15M	1401983	1	■
	HOSE NON-BLACKING 20M	1401991	1	■
	25M NON-BLACKING HOSE	1402007	1	■
	HOSE NON-BLACKING 30m	1402015	1	■
Brushes, Washing				
	WASHING BRUSH. LONG	6400087	1	■
	WASHINGBRUSH. SHORT	6400088	1	■
Nozzles Pressure wash				
	TORNADO KIT (RING/NOZZLE 0700)	101119748	1	■
	TORNADO KIT (RING/NOZZLE 1000)	101119754	1	■
	TORNADO KIT (RING/NOZZLE 1200)	101119758	1	■

Accessories	Ref. no	Min. required	POSEIDON 8-111	POSEIDON 8-125
Nozzles Pressure wash				
	NOZZLE PROTECTING CAP WAS 1607	18430	1	■
	NOZZLE PROTECTION F TORNA DO L	106402425	1	■
Detergents				
	J 25 MULTI 10 L	80923	1	■
	UNIVERSAL 10LTR	80930	1	■
	DES 3000 10LTR	80933	1	■
	AUTO ACTIVE 10LTR	81136	1	■
	INTENSIVE 10 L	81137	1	■
	SUPER PLUS 10KG (WAS 5301 344)	81170	1	■
	COMBI ACTIVE 10LTR	81172	1	■
	AUTO DRY 10LTR	81175	1	■
	AKTIVE WAX 10 L	81177	1	■
	SAPHIR 10 L	81180	1	■
	ACIDO 10LTR	81204	1	■
	ALLOSIL 10LTR	81237	1	■
	ALKAFOAM 10LTR (WAS 53013 42)	81239	1	■
	ALTO ACTIVE FOAM 10LTR	81296	1	■